

# 令和6年度 貸館利用実績詳細報告

豊明市共生交流プラザ

指定管理者：株式会社トヨタエンタプライズ

## 1. 貸館稼働率実績詳細①

＝ 年間稼働率平均の値を上回った場所／時間区分を網掛けで表示

項目	区分	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均
活動室1（北）	午前	計	利用数19 稼働率65.5%	21 70.0%	19 65.5%	20 66.7%	20 66.7%	22 75.9%	23 76.7%	24 82.8%	21 77.8%	20 74.1%	19 70.4%	21 70.9%
		一般	利用数13 稼働率44.8%	13 43.3%	10 34.5%	8 26.7%	14 46.7%	13 44.8%	16 53.3%	15 51.7%	15 55.6%	15 55.6%	12 44.4%	13 45.5%
			利用数6 稼働率20.7%	8 26.7%	9 31.0%	12 40.0%	6 20.0%	9 31.0%	7 23.3%	9 31.0%	6 22.2%	5 18.5%	7 25.9%	7 25.4%
		公用	利用数17 稼働率58.6%	15 50.0%	15 51.7%	17 56.7%	21 70.0%	20 69.0%	21 70.0%	19 65.5%	13 48.1%	14 51.9%	17 63.0%	17 58.8%
			利用数15 稼働率51.7%	11 36.7%	11 37.9%	15 50.0%	18 60.0%	18 62.1%	14 46.7%	12 41.4%	10 37.0%	9 33.3%	12 44.4%	13 44.4%
		公用	利用数2 稼働率6.9%	4 13.3%	4 13.8%	2 6.7%	3 10.0%	2 6.9%	7 23.3%	7 24.1%	5 11.1%	5 18.5%	6 20.0%	4 14.4%
	午後①	計	利用数14 稼働率48.3%	15 50.0%	12 41.4%	12 40.0%	18 60.0%	15 51.7%	20 66.7%	16 55.2%	11 40.7%	11 40.7%	15 55.6%	14 49.3%
		一般	利用数12 稼働率41.4%	11 36.7%	9 31.0%	10 33.3%	14 46.7%	13 44.8%	13 43.3%	9 31.0%	8 29.6%	6 22.2%	11 40.7%	10 35.4%
			利用数2 稼働率6.9%	4 13.3%	3 10.3%	2 6.7%	4 13.3%	2 6.9%	7 23.3%	7 24.1%	3 11.1%	5 18.5%	4 14.8%	4 13.8%
		公用	利用数1 稼働率3.4%	7 23.3%	0 0.0%	3 10.0%	6 20.0%	7 24.1%	9 30.0%	15 51.7%	8 29.6%	10 37.0%	5 18.5%	6 22.2%
			利用数1 稼働率3.4%	5 16.7%	0 0.0%	3 10.0%	6 20.0%	7 24.1%	5 16.7%	8 27.6%	8 29.6%	9 33.3%	5 18.5%	5 17.9%
		公用	利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 13.3%	7 24.1%	0 0.0%	1 3.7%	0 0.0%	1 3.3%
	夜間①	計	利用数5 稼働率17.2%	9 30.0%	6 20.7%	7 23.3%	7 23.3%	8 27.6%	9 30.0%	10 34.5%	4 14.8%	6 22.2%	2 7.4%	7 22.8%
		一般	利用数5 稼働率17.2%	7 23.3%	6 20.7%	7 23.3%	7 23.3%	8 27.6%	5 16.7%	3 10.3%	4 14.8%	5 18.5%	2 7.4%	5 18.7%
			利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 13.3%	7 24.1%	0 0.0%	1 3.7%	0 0.0%	1 4.0%
		公用	利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 13.3%	7 24.1%	0 0.0%	1 3.7%	0 0.0%	1 4.0%
			利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 13.3%	7 24.1%	0 0.0%	1 3.7%	0 0.0%	1 4.0%
		公用	利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 13.3%	7 24.1%	0 0.0%	1 3.7%	0 0.0%	1 4.0%
	夜間②	計	利用数15 稼働率51.7%	16 53.3%	19 65.5%	26 86.7%	20 66.7%	20 69.0%	24 80.0%	25 86.2%	20 74.1%	17 63.0%	22 81.5%	21 73.3%
		一般	利用数7 稼働率24.1%	9 30.0%	11 37.9%	19 63.3%	12 40.0%	11 37.9%	12 40.0%	14 48.3%	11 40.7%	12 44.4%	12 40.0%	12 40.9%
			利用数8 稼働率27.6%	7 23.3%	8 27.6%	7 23.3%	8 26.7%	9 31.0%	12 40.0%	11 37.9%	9 33.3%	5 18.5%	10 37.0%	9 30.0%
		公用	利用数12 稼働率41.4%	16 53.3%	11 37.9%	16 53.3%	15 50.0%	15 51.7%	19 63.3%	22 75.9%	20 74.1%	18 66.7%	17 56.7%	17 57.9%
			利用数10 稼働率34.5%	11 36.7%	8 27.6%	13 43.3%	12 40.0%	12 41.4%	15 50.0%	15 51.7%	13 48.1%	13 48.1%	12 44.4%	12 42.7%
		公用	利用数2 稼働率6.9%	5 16.7%	3 10.3%	3 10.0%	3 10.0%	3 10.3%	4 24.1%	7 25.9%	7 25.9%	6 22.2%	3 10.0%	4 15.3%
活動室2（北）	午前	計	利用数13 稼働率44.8%	16 53.3%	14 48.3%	14 46.7%	12 40.0%	11 37.9%	14 46.7%	15 51.7%	13 48.1%	14 51.9%	8 29.6%	12 45.0%
		一般	利用数12 稼働率41.4%	11 36.7%	11 37.9%	12 40.0%	11 36.7%	9 31.0%	11 36.7%	11 27.6%	7 25.9%	9 33.3%	4 14.8%	10 33.3%
			利用数1 稼働率3.4%	5 16.7%	3 10.3%	2 6.7%	1 3.3%	2 6.9%	3 10.0%	7 24.1%	6 22.2%	5 18.5%	4 14.8%	3 11.8%
		公用	利用数9 稼働率31.0%	11 36.7%	13 44.8%	10 33.3%	11 36.7%	11 37.9%	8 26.7%	11 37.9%	5 18.5%	3 11.1%	5 18.5%	6 20.0%
			利用数9 稼働率31.0%	9 30.0%	13 44.8%	10 33.3%	11 36.7%	11 37.9%	7 26.7%	8 37.9%	4 18.5%	3 11.1%	5 18.5%	8 27.7%
		公用	利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 3.3%	3 10.3%	1 3.7%	0 0.0%	0 0.0%	1 2.0%
	午後①	計	利用数2 稼働率6.9%	8 26.7%	3 10.3%	2 6.7%	1 3.3%	3 10.3%	8 26.7%	9 31.0%	4 14.8%	2 7.4%	2 7.4%	4 14.4%
		一般	利用数2 稼働率6.9%	6 20.0%	3 10.3%	2 6.7%	1 3.3%	3 10.3%	6 20.0%	6 20.7%	4 14.8%	2 7.4%	2 20.0%	4 12.4%
			利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 6.7%	3 10.0%	0 0.0%	0 0.0%	0 0.0%	1 2.0%
		公用	利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 6.7%	3 10.0%	0 0.0%	0 0.0%	0 0.0%	1 2.0%
			利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 6.7%	3 10.0%	0 0.0%	0 0.0%	0 0.0%	1 2.0%
		公用	利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 6.7%	3 10.0%	0 0.0%	0 0.0%	0 0.0%	1 2.0%
	夜間①	計	利用数17 稼働率58.6%	16 53.3%	20 69.0%	20 66.7%	19 63.3%	19 65.5%	21 70.0%	24 82.8%	20 74.1%	17 63.0%	22 73.3%	19 64.3%
		一般	利用数5 稼働率17.2%	5 16.7%	7 24.1%	13 43.3%	14 46.7%	11 37.9%	12 40.0%	11 37.9%	12 44.4%	10 37.0%	15 50.0%	10 35.2%
			利用数12 稼働率41.4%	11 36.7%	13 44.8%	7 23.3%	5 16.7%	8 27.6%	9 30.0%	13 44.8%	8 29.6%	7 25.9%	1 3.7%	8 29.1%
		公用	利用数12 稼働率41.4%	11 36.7%	13 44.8%	7 23.3%	5 16.7%	8 27.6%	9 30.0%	13 44.8%	8 29.6%	7 25.9%	1 3.7%	8 29.1%
			利用数2 稼働率6.9%	2 6.7%	0 0.0%	1 3.3%	1 3.3%	0 0.0%	2 6.7%	7 24.1%	2 7.4%	2 7.4%	2 6.7%	3 9.2%
		公用	利用数2 稼働率6.9%	2 6.7%	0 0.0%	1 3.3%	1 3.3%	0 0.0%	2 6.7%	7 24.1%	2 7.4%	2 7.4%	2 6.7%	3 9.2%
	午後②	計	利用数14 稼働率48.3%	13 43.3%	15 51.7%	16 53.3%	15 50.0%	16 55.2%	11 36.7%	27 93.1%	13 48.1%	12 44.4%	10 37.0%	15 51.0%
		一般	利用数12 稼働率41.4%	11 36.7%	15 51.7%	15 50.0%	14 46.7%	16 55.2%	9 30.0%	11 37.9%	11 40.7%	10 37.0%	8 29.6%	13 41.8%
			利用数2 稼働率6.9%	2 6.7%	0 0.0%	1 3.3%	1 3.3%	0 0.0%	2 6.7%	16 55.2%	2 40.7%	2 37.0%	2 43.3%	3 41.8%
		公用	利用数14 稼働率48.3%	13 43.3%	15 51.7%	16 53.3%	15 50.0%	16 55.2%	11 36.7%	27 93.1%	13 48.1%	12 44.4%	10 37.0%	15 51.0%
			利用数12 稼働率41.4%	11 36.7%	13 44.8%	13 43.3%	15 50.0%	16 55.2%	13 43.3%	14 48.3%	14 51.9%	13 48.1%	11 40.7%	13 45.5%
		公用	利用数2 稼働率6.9%	2 6.7%	0 0.0%	1 3.3%	1 3.3%	0 0.0%	2 6.7%	7 24.1%	2 7.4%	2 7.4%	2 6.7%	3 9.2%
	夜間②	計	利用数6 稼働率20.7%	10 33.3%	7 24.1%	6 20.0%	8 26.7%	10 34.5%	11 37.9%	16 55.2%	11 40.7%	10 37.0%	9 33.3%	9 32.6%
		一般	利用数6 稼働率20.7%	8 26.7%	7 24.1%	6 20.0%	8 26.7%	10 34.5%	10 33.3%	12 41.4%	11 40.7%	10 37.0%	9 33.3%	9 30.5%
			利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 3.3%	4 13.8%	0 0.0%	0 0.0%	0 0.0%	1 2.0%
		公用	利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 3.3%	4 13.8%	0 0.0%	0 0.0%	0 0.0%	1 2.0%
			利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 3.3%	4 13.8%	0 0.0%	0 0.0%	0 0.0%	1 2.0%
		公用	利用数0 稼働率0.0%	2 6.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 3.3%	4 13.8%	0 0.0%	0 0.0%	0 0.0%	1 2.0%

# 令和6年度 貸館利用実績詳細報告

豊明市共生交流プラザ

指定管理者：株式会社トヨタエンタプライズ

## 1. 貸館稼働率実績詳細②

＝ 年間稼働率平均の値を上回った場所／時間区分を網掛けで表示

項目	区分		4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均
活動室4（北）	午前	計	利用数17 稼働率58.6%	19 63.3%	22 75.9%	23 76.7%	14 46.7%	18 62.1%	21 70.0%	24 82.8%	21 77.8%	16 59.3%	21 77.8%	21 70.0%	20 68.3%
		一般	利用数14 稼働率48.3%	14 46.7%	17 58.6%	16 53.3%	11 36.7%	8 27.6%	13 43.3%	15 51.7%	12 44.4%	14 51.9%	17 63.0%	17 56.7%	14 48.4%
		公用	利用数3 稼働率10.3%	5 16.7%	5 17.2%	7 23.3%	3 10.0%	10 34.5%	8 26.7%	9 31.0%	9 33.3%	2 7.4%	4 14.8%	4 13.3%	6 19.9%
		計	利用数13 稼働率44.8%	15 50.0%	14 48.3%	13 43.3%	12 40.0%	10 34.5%	14 46.7%	15 51.7%	11 40.7%	8 29.6%	9 33.3%	14 46.7%	12 42.7%
		一般	利用数8 稼働率27.6%	4 13.3%	7 24.1%	10 33.3%	9 30.0%	5 17.2%	5 16.7%	7 24.1%	5 18.5%	6 22.2%	6 22.2%	9 30.0%	7 23.3%
		公用	利用数5 稼働率17.2%	11 36.7%	7 24.1%	3 10.0%	3 10.0%	5 17.2%	9 30.0%	8 27.6%	6 22.2%	2 7.4%	3 11.1%	5 16.7%	6 19.3%
	午後①	計	利用数6 稼働率20.7%	12 40.0%	10 34.5%	10 33.3%	11 36.7%	7 24.1%	12 40.0%	12 41.4%	10 37.0%	6 22.2%	6 22.2%	11 36.7%	9 32.6%
		一般	利用数3 稼働率10.3%	3 10.0%	5 17.2%	9 30.0%	7 23.3%	4 13.8%	4 13.3%	4 13.8%	4 14.8%	3 11.1%	3 11.1%	8 26.7%	5 16.4%
		公用	利用数3 稼働率10.3%	9 30.0%	5 17.2%	1 3.3%	4 13.3%	3 10.3%	8 26.7%	8 27.6%	6 22.2%	3 11.1%	3 11.1%	3 10.0%	5 16.1%
		計	利用数5 稼働率17.2%	3 10.0%	3 10.3%	1 3.3%	1 3.3%	1 3.4%	1 3.3%	4 13.8%	1 3.7%	1 3.7%	0 0.0%	6 20.0%	2 7.8%
		一般	利用数3 稼働率10.3%	0 0.0%	1 3.4%	1 3.3%	1 3.3%	1 3.4%	0 0.0%	1 3.4%	0 0.0%	1 3.7%	0 0.0%	6 20.0%	1 4.3%
		公用	利用数2 稼働率6.9%	3 10.0%	2 6.9%	0 0.0%	0 0.0%	0 0.0%	3 10.3%	3 3.7%	1 0.0%	0 0.0%	0 0.0%	0 0.0%	1 3.5%
	午後②	計	利用数5 稼働率17.2%	7 23.3%	6 20.7%	3 10.0%	1 3.3%	1 3.4%	1 3.3%	6 20.7%	1 3.7%	1 3.7%	0 0.0%	7 23.3%	3 11.2%
		一般	利用数3 稼働率10.3%	4 13.3%	4 13.8%	2 6.7%	1 3.3%	1 3.4%	0 0.0%	3 10.3%	0 0.0%	0 3.7%	0 0.0%	7 23.3%	2 7.5%
		公用	利用数2 稼働率6.9%	3 10.0%	2 6.9%	1 3.3%	0 0.0%	0 0.0%	1 3.3%	3 10.3%	1 3.7%	0 0.0%	0 0.0%	0 0.0%	1 3.7%
		計	利用数18 稼働率62.1%	23 76.7%	20 69.0%	19 63.3%	15 50.0%	20 69.0%	18 60.0%	23 79.3%	19 70.4%	16 59.3%	21 77.8%	24 80.0%	20 68.0%
		一般	利用数11 稼働率37.9%	14 46.7%	10 34.5%	10 33.3%	11 36.7%	10 34.5%	10 33.3%	14 48.3%	12 44.4%	14 51.9%	15 55.6%	18 60.0%	12 42.9%
		公用	利用数7 稼働率24.1%	9 30.0%	10 34.5%	9 30.0%	4 13.3%	10 34.5%	8 26.7%	9 31.0%	7 25.9%	2 7.4%	6 22.2%	6 20.0%	7 25.1%
活動室5（北）	午前	計	利用数10 稼働率34.5%	12 40.0%	11 37.9%	11 36.7%	15 50.0%	7 24.1%	11 36.7%	15 51.7%	13 48.1%	8 29.6%	12 44.4%	13 43.3%	12 39.8%
		一般	利用数8 稼働率27.6%	8 26.7%	9 31.0%	5 16.7%	13 43.3%	5 17.2%	5 16.7%	8 27.6%	10 37.0%	6 22.2%	6 22.2%	9 30.0%	8 26.5%
		公用	利用数2 稼働率6.9%	4 13.3%	2 6.9%	6 20.0%	2 6.7%	6 20.0%	6 21.1%	7 24.1%	3 11.1%	2 7.4%	6 22.2%	4 13.3%	4 13.3%
	午後①	計	利用数6 稼働率20.7%	6 20.0%	5 17.2%	11 36.7%	8 26.7%	3 10.3%	14 46.7%	18 62.1%	13 48.1%	6 22.2%	14 51.9%	19 63.3%	10 35.4%
		一般	利用数5 稼働率17.2%	4 13.3%	5 17.2%	7 23.3%	7 23.3%	3 10.3%	10 33.3%	13 44.8%	12 44.4%	3 11.1%	9 33.3%	17 56.7%	8 27.4%
		公用	利用数1 稼働率3.4%	2 6.7%	0 0.0%	4 13.3%	1 3.3%	0 0.0%	4 13.3%	5 17.2%	1 3.7%	3 11.1%	5 18.5%	2 6.7%	2 8.1%
	午後②	計	利用数1 稼働率3.4%	5 16.7%	2 6.9%	6 20.0%	3 10.0%	4 13.8%	13 43.3%	13 44.8%	10 37.0%	1 3.7%	10 37.0%	16 53.3%	7 24.2%
		一般	利用数1 稼働率3.4%	2 6.7%	2 6.9%	4 13.3%	2 6.7%	2 6.9%	10 33.3%	8 27.6%	8 29.6%	1 3.7%	8 29.6%	14 46.7%	5 17.9%
		公用	利用数0 稼働率0.0%	3 10.0%	0 0.0%	2 6.7%	1 3.3%	2 6.9%	3 10.0%	5 17.2%	2 7.4%	0 0.0%	2 7.4%	2 6.7%	2 6.3%
	夜間①	計	利用数5 稼働率17.2%	9 30.0%	4 13.8%	10 33.3%	7 23.3%	8 27.6%	8 26.7%	11 37.9%	6 22.2%	1 3.7%	6 22.2%	10 33.3%	7 24.5%
		一般	利用数5 稼働率17.2%	6 20.0%	4 13.8%	8 26.7%	6 20.0%	6 20.7%	5 16.7%	6 20.7%	4 14.8%	1 3.7%	4 14.8%	7 23.3%	5 17.9%
		公用	利用数0 稼働率0.0%	3 10.0%	0 0.0%	2 6.7%	1 3.3%	2 6.9%	3 10.0%	5 17.2%	2 7.4%	0 0.0%	2 7.4%	3 6.7%	2 6.6%
	夜間②	計	利用数19 稼働率65.5%	16 53.3%	17 58.6%	20 66.7%	18 60.0%	18 62.1%	18 60.0%	19 65.5%	16 59.3%	12 44.4%	15 55.6%	17 56.7%	17 59.1%
		一般	利用数14 稼働率48.3%	9 30.0%	9 31.0%	10 33.3%	13 43.3%	12 41.4%	10 33.3%	10 34.5%	10 37.0%	6 22.2%	8 29.6%	9 30.0%	10 34.6%
		公用	利用数5 稼働率17.2%	7 23.3%	8 27.6%	10 33.3%	5 16.7%	6 20.7%	8 26.7%	9 31.0%	6 22.2%	6 22.2%	7 25.9%	8 26.7%	7 24.5%
活動室1（南）	午前	計	利用数14 稼働率48.3%	9 30.0%	9 31.0%	10 33.3%	13 43.3%	12 41.4%	10 33.3%	10 34.5%	10 37.0%	6 22.2%	8 29.6%	9 30.0%	10 34.6%
		一般	利用数5 稼働率17.2%	7 23.3%	8 27.6%	10 33.3%	5 16.7%	6 20.7%	8 26.7%	9 31.0%	6 22.2%	6 22.2%	7 25.9%	8 26.7%	7 24.5%
		公用	利用数5 稼働率17.2%	7 23.3%	8 27.6%	10 33.3%	5 16.7%	6 20.7%	8 26.7%	9 31.0%	6 22.2%	6 22.2%	7 25.9%	8 26.7%	7 24.5%
	午後①	計	利用数14 稼働率48.3%	10 33.3%	12 41.4%	15 50.0%	11 36.7%	15 51.7%	12 40.0%	13 44.8%	12 44.4%	8 29.6%	12 44.4%	13 43.3%	12 42.4%
		一般	利用数9 稼働率31.0%	4 13.3%	5 17.2%	11 36.7%	8 26.7%	11 37.9%	8 26.7%	7 24.1%	8 29.6%	6 22.2%	8 29.6%	9 30.0%	8 27.1%
		公用	利用数5 稼働率17.2%	6 20.0%	7 24.1%	4 13.3%	3 10.0%	4 13.8%	4 13.3%	6 20.7%	4 14.8%	2 7.4%	4 14.8%	4 13.3%	4 15.3%
	午後②	計	利用数15 稼働率51.7%	13 43.3%	13 44.8%	14 46.7%	14 46.7%	14 48.3%	12 40.0%	11 37.9%	6 37.0%	6 22.2%	10 37.0%	15 50.0%	12 42.4%
		一般	利用数10 稼働率34.5%	7 23.3%	6 20.7%	10 33.3%	12 40.0%	10 34.5%	8 26.7%	6 20.7%	6 22.2%	3 11.1%	7 25.9%	11 36.7%	8 27.7%
		公用	利用数5 稼働率17.2%	6 20.0%	7 24.1%	4 13.3%	2 6.7%	4 13.3%	4 13.3%	5 17.2%	4 14.8%	3 11.1%	3 11.1%	4 13.3%	4 14.7%
	夜間①	計	利用数11 稼働率37.9%	10 33.3%	8 27.6%	9 30.0%	11 36.7%	12 41.4%	12 40.0%	13 44.8%	12 44.4%	1 3.7%	11 40.7%	11 36.7%	10 34.9%
		一般	利用数8 稼働率27.6%	5 16.7%	5 17.2%	4 13.3%	8 26.7%	6 20.7%	6 20.0%	4 13.8%	6 22.2%	1 3.7%	5 18.5%	4 13.3%	5 17.9%
		公用	利用数3 稼働率10.3%	5 16.7%	3 10.3%	5 16.7%	3 10.0%	6 20.7%	6 20.0%	9 31.0%	6 22.2%	0 0.0%	6 22.2%	7 23.3%	5 17.0%
	夜間②	計	利用数6 稼働率20.7%	6 20.0%	4 13.8%	5 16.7%	1 3.3%	5 17.2%	5 16.7%	7 24.1%	6 22.2%	1 3.7%	4 14.8%	4 13.3%	5 15.6%
		一般	利用数3 稼働率10.3%	1 3.3%	1 3.4%	2 6.7%	1 3.3%	1 3.4%	0 0.0%	0 0.0%	3 11.1%	1 3.7%	1 3.7%	1 3.3%	1 4.6%
		公用	利用数3 稼働率10.3%	5 16.7%	3 10.3%	3 10.0%	0 0.0%	4 13.8%	4 13.3%	7 24.1%	3 11.1%	0 0.0%	3 11.1%	3 10.0%	3 11.0%

# 令和6年度 貸館利用実績詳細報告

豊明市共生交流プラザ

指定管理者：株式会社トヨタエンタプライズ

## 1. 貸館稼働率実績詳細③

＝ 年間稼働率平均の値を上回った場所／時間区分を網掛けで表示

項目	区分		4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均
活動室2（南）	午前	計	利用数15 稼働率51.7%	14 46.7%	19 65.5%	17 56.7%	11 36.7%	13 44.8%	15 50.0%	13 44.8%	13 48.1%	10 37.0%	13 48.1%	11 36.7%	14 47.3%
		一般	利用数8	5	6	9	8	7	6	4	5	5	6	4	6
			稼働率27.6%	16.7%	20.7%	30.0%	26.7%	24.1%	20.0%	13.8%	18.5%	18.5%	22.2%	13.3%	21.0%
		公用	利用数7	9	13	8	3	6	9	9	8	5	7	7	8
			稼働率24.1%	30.0%	44.8%	26.7%	10.0%	20.7%	30.0%	31.0%	29.6%	18.5%	25.9%	23.3%	26.2%
		計	利用数14 稼働率48.3%	11 36.7%	12 41.4%	6 20.0%	10 33.3%	13 44.8%	9 30.0%	9 31.0%	9 33.3%	6 22.2%	12 44.4%	9 30.0%	10 34.6%
	午後①	一般	利用数9	5	6	2	5	9	5	4	4	3	7	4	5
			稼働率31.0%	16.7%	20.7%	6.7%	16.7%	31.0%	16.7%	13.8%	14.8%	11.1%	25.9%	13.3%	18.2%
		公用	利用数5	6	6	4	5	4	4	5	5	3	5	5	5
			稼働率17.2%	20.0%	20.7%	13.3%	16.7%	13.8%	13.3%	17.2%	18.5%	11.1%	18.5%	16.7%	16.4%
		計	利用数14 稼働率48.3%	12 40.0%	13 44.8%	7 23.3%	8 26.7%	13 44.8%	6 20.0%	9 31.0%	6 22.2%	5 18.5%	9 33.3%	8 26.7%	9 31.7%
			利用数9	6	7	3	3	9	2	4	2	3	3	3	5
	午後②	一般	稼働率31.0%	20.0%	24.1%	10.0%	10.0%	31.0%	6.7%	13.8%	7.4%	11.1%	18.5%	10.0%	16.1%
			利用数5	6	6	4	5	4	4	5	4	2	4	5	5
		公用	稼働率17.2%	20.0%	20.7%	13.3%	16.7%	13.8%	13.3%	17.2%	14.8%	7.4%	14.8%	16.7%	15.6%
			利用数10	10	8	6	3	9	6	9	5	5	6	5	7
		計	稼働率34.5%	33.3%	27.6%	20.0%	10.0%	31.0%	20.0%	31.0%	18.5%	18.5%	22.2%	16.7%	23.6%
			利用数7	5	5	3	3	6	2	2	2	2	3	2	4
活動室3（南）	午前	一般	稼働率24.1%	23.3%	27.6%	26.7%	36.7%	27.6%	30.0%	31.0%	33.3%	25.9%	25.9%	13.3%	27.1%
			利用数3	5	5	4	0	5	4	6	6	2	4	4	4
		公用	稼働率10.3%	16.7%	17.2%	13.3%	0.0%	17.2%	13.3%	20.7%	22.2%	7.4%	14.8%	13.3%	13.8%
			利用数7	6	8	6	3	6	7	10	8	5	8	6	7
		計	稼働率24.1%	20.0%	27.6%	20.0%	10.0%	20.7%	23.3%	34.5%	29.6%	18.5%	29.6%	20.0%	23.1%
			利用数3	2	4	3	3	2	3	5	4	3	4	2	3
	午後①	一般	稼働率10.3%	6.7%	13.8%	10.0%	10.0%	6.9%	10.0%	17.2%	14.8%	11.1%	14.8%	6.7%	11.0%
			利用数4	4	4	3	0	4	4	5	4	2	4	4	4
		公用	稼働率13.8%	13.3%	13.8%	10.0%	0.0%	13.8%	13.3%	17.2%	14.8%	7.4%	14.8%	13.3%	12.1%
			利用数6	7	7	5	5	5	6	9	9	3	7	4	6
		計	稼働率20.7%	23.3%	24.1%	16.7%	16.7%	17.2%	20.0%	31.0%	33.3%	11.1%	25.9%	13.3%	21.0%
			利用数3	3	3	3	2	4	1	4	5	1	3	0	3
	午後②	一般	稼働率10.3%	10.0%	10.3%	6.7%	13.3%	3.4%	6.7%	13.8%	18.5%	3.7%	11.1%	0.0%	8.9%
			利用数3	4	4	3	1	4	4	5	4	2	4	4	4
		公用	稼働率10.3%	13.3%	13.8%	10.0%	3.3%	13.8%	13.3%	17.2%	14.8%	7.4%	14.8%	13.3%	12.1%
			利用数3	4	4	3	1	4	4	5	4	2	4	4	4
		計	稼働率13.8%	13.3%	13.8%	10.0%	0.0%	13.8%	13.3%	17.2%	14.8%	7.4%	14.8%	13.3%	12.1%
			利用数6	7	7	5	5	5	6	9	9	3	7	4	6
調理室	午前	一般	稼働率10.3%	16.7%	10.3%	10.0%	0.0%	10.3%	13.3%	24.1%	11.1%	11.1%	11.1%	10.0%	11.5%
			利用数3	4	3	3	6	4	7	3	6	6	7	4	5
		公用	稼働率27.6%	36.7%	34.5%	40.0%	23.3%	27.6%	40.0%	48.3%	25.9%	29.6%	33.3%	26.7%	32.9%
			利用数8	11	10	12	7	8	12	14	7	8	9	8	10
		計	稼働率27.6%	33.3%	31.0%	33.3%	33.3%	24.1%	50.0%	41.4%	44.4%	37.0%	40.7%	20.0%	34.6%
			利用数5	4	5	5	5	3	7	3	7	4	6	2	5
	午後①	一般	稼働率17.2%	13.3%	17.2%	16.7%	16.7%	10.3%	23.3%	10.3%	25.9%	14.8%	22.2%	6.7%	16.1%
			利用数3	6	4	5	5	4	8	9	5	6	5	4	5
		公用	稼働率10.3%	20.0%	13.8%	16.7%	16.7%	13.8%	26.7%	31.0%	18.5%	22.2%	18.5%	13.3%	18.4%
			利用数4	6	4	5	5	3	7	9	6	6	4	4	5
		計	稼働率13.8%	20.0%	13.8%	16.7%	16.7%	10.3%	23.3%	31.0%	22.2%	22.2%	14.8%	13.3%	18.2%
			利用数2	1	2	1	2	0	3	2	2	1	3	1	2
	午後②	一般	稼働率6.9%	3.3%	6.9%	3.3%	6.7%	0.0%	10.0%	6.9%	7.4%	3.7%	11.1%	3.3%	5.8%
			利用数2	5	2	4	3	3	4	7	4	5	1	3	4
		公用	稼働率6.9%	16.7%	6.9%	13.3%	10.0%	10.3%	13.3%	24.1%	14.8%	18.5%	3.7%	10.0%	12.4%
			利用数1	4	2	1	1	0	4	7	1	2	0	1	2
		計	稼働率3.4%	10.0%	3.4%	3.3%	0.0%	6.7%	13.8%	0.0%	7.4%	0.0%	0.0%	3.3%	4.3%
			利用数1	3	1	1	0	0	2	6	1	2	0	1	2
	夜間①	一般	稼働率0.0%	3.3%	3.4%	0.0%	3.3%	0.0%	6.7%	10.3%	3.7%	0.0%	0.0%	0.0%	2.6%
			利用数0	1	1	0	1	0	2	3	1	0	0	0	1
		公用	稼働率3.4%	10.0%	3.4%	3.3%	0.0%	6.7%	13.8%	0.0%	7.4%	0.0%	0.0%	3.3%	4.3%
			利用数1	3	1	1	0	0	2	6	1	2	0	1	2
		計	稼働率3.4%	10.0%	3.4%	3.3%	6.7%	0.0%	10.0%	20.7%	3.7%	7.4%	0.0%	3.3%	6.1%
			利用数0	0	0	0	2	0	2	2	1	0	0	0	1
	夜間②	一般	稼働率0.0%	0.0%	0.0%	0.0%	6.7%	0.0%	6.7%	6.9%	3.7%	0.0%	0.0%	0.0%	2.0%
			利用数1	3	1	1	0	0	1	4	0	2	0	1	1
		公用	稼働率3.4%	10.0%	3.4%	3.3%	0.0%	6.7%	13.8%	0.0%	7.4%	0.0%	0.0%	3.3%	4.0%
			利用数1	3	1	1	0	0	2	6	1	2	0	1	2
		計	稼働率3.4%	10.0%	3.4%	3.3%	0.0%	6.7%	13.8%	0.0%	7.4%	0.0%	0.0%	3.3%	4.0%
			利用数1	3	1	1	0	0	2	6	1	2	0	1	2

# 令和6年度 貸館利用実績詳細報告

豊明市共生交流プラザ

指定管理者：株式会社トヨタエンタプライズ

## 1. 貸館稼働率実績詳細④

＝ 年間稼働率平均の値を上回った場所／時間区分を網掛けで表示

項目	区分			4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均
パフォーマンス スタジオ	午前	計	利用数	24	26	29	24	23	22	25	29	23	22	25	25	25
			稼働率	82.8%	86.7%	100.0%	80.0%	76.7%	75.9%	83.3%	100.0%	85.2%	81.5%	92.6%	83.3%	
		一般	利用数	9	7	7	4	9	9	2	7	4	2	3	6	6
			稼働率	31.0%	23.3%	24.1%	13.3%	30.0%	31.0%	6.7%	24.1%	14.8%	7.4%	11.1%	20.0%	
		公用	利用数	15	19	22	20	14	13	23	22	19	20	22	19	
			稼働率	51.7%	63.3%	75.9%	66.7%	46.7%	44.8%	76.7%	75.9%	70.4%	74.1%	81.5%	63.3%	
	午後①	計	利用数	17	22	17	21	22	20	24	23	23	13	19	26	
			稼働率	58.6%	73.3%	58.6%	70.0%	73.3%	69.0%	80.0%	79.3%	85.2%	48.1%	70.4%	86.7%	
		一般	利用数	13	16	13	15	17	15	17	14	15	8	13	20	
			稼働率	44.8%	53.3%	44.8%	50.0%	56.7%	51.7%	56.7%	48.3%	55.6%	29.6%	48.1%	66.7%	
		公用	利用数	4	6	4	6	5	5	7	9	8	5	6	6	
			稼働率	13.8%	20.0%	13.8%	20.0%	16.7%	17.2%	23.3%	31.0%	29.6%	18.5%	22.2%	20.0%	
	午後②	計	利用数	13	17	17	19	15	15	16	14	13	11	9	20	
			稼働率	44.8%	56.7%	58.6%	63.3%	50.0%	51.7%	53.3%	48.3%	48.1%	40.7%	33.3%	66.7%	
		一般	利用数	10	13	15	17	12	11	12	8	10	9	6	18	
			稼働率	34.5%	43.3%	51.7%	56.7%	40.0%	37.9%	40.0%	27.6%	37.0%	33.3%	22.2%	60.0%	
		公用	利用数	3	4	2	2	3	4	4	6	3	2	3	2	
			稼働率	10.3%	13.3%	6.9%	6.7%	10.0%	13.8%	13.3%	20.7%	11.1%	7.4%	11.1%	6.7%	
	夜間①	計	利用数	18	17	19	20	13	16	19	15	12	15	16	19	
			稼働率	62.1%	56.7%	65.5%	66.7%	43.3%	55.2%	63.3%	51.7%	44.4%	55.6%	59.3%	63.3%	
		一般	利用数	18	15	19	20	13	14	18	12	11	15	16	19	
			稼働率	62.1%	50.0%	65.5%	66.7%	43.3%	48.3%	60.0%	41.4%	40.7%	55.6%	59.3%	63.3%	
		公用	利用数	0	2	0	0	0	2	1	3	1	0	0	1	
			稼働率	0.0%	6.7%	1.0%	0.0%	0.0%	6.9%	3.3%	10.3%	3.7%	0.0%	0.0%	0.0%	
夜間②	計	利用数	23	23	25	26	25	19	26	21	23	17	21	25		
		稼働率	79.3%	76.7%	86.2%	86.7%	83.3%	65.5%	86.7%	72.4%	85.2%	63.0%	77.8%	83.3%		
	一般	利用数	19	17	21	23	23	15	23	12	19	12	17	21		
		稼働率	65.5%	56.7%	72.4%	76.7%	76.7%	51.7%	76.7%	41.4%	70.4%	44.4%	63.0%	70.0%		
	公用	利用数	4	6	4	3	2	4	3	9	4	5	4	4		
		稼働率	13.8%	20.0%	13.8%	10.0%	6.7%	13.8%	10.0%	31.0%	14.8%	18.5%	14.8%	13.3%		
サウンド スタジオ	午前	計	利用数	4	4	4	6	11	6	11	13	6	10	11	8	
			稼働率	13.8%	13.3%	13.8%	20.0%	36.7%	20.7%	36.7%	44.8%	22.2%	37.0%	40.7%	36.7%	
		一般	利用数	4	3	4	6	11	6	10	11	6	10	10	8	
			稼働率	13.8%	10.0%	13.8%	20.0%	36.7%	20.7%	33.3%	37.9%	22.2%	37.0%	37.0%	33.3%	
		公用	利用数	0	1	0	0	0	0	1	2	0	0	1	1	
			稼働率	0.0%	3.3%	0.0%	0.0%	0.0%	0.0%	3.3%	6.9%	0.0%	0.0%	3.7%	3.3%	
	午後①	計	利用数	8	9	13	14	12	9	13	15	11	12	12	15	
			稼働率	27.6%	30.0%	44.8%	46.7%	40.0%	31.0%	43.3%	51.7%	40.7%	44.4%	44.4%	50.0%	
		一般	利用数	8	7	13	14	12	9	12	11	11	12	11	15	
			稼働率	27.6%	23.3%	44.8%	46.7%	40.0%	31.0%	40.0%	37.9%	40.7%	44.4%	40.7%	50.0%	
		公用	利用数	0	2	0	0	0	0	1	4	0	0	1	0	
			稼働率	0.0%	6.7%	0.0%	0.0%	0.0%	0.0%	3.3%	13.8%	0.0%	0.0%	3.7%	0.0%	
	午後②	計	利用数	7	10	7	11	19	12	13	15	8	7	14	18	
			稼働率	24.1%	33.3%	24.1%	36.7%	63.3%	41.4%	43.3%	51.7%	29.6%	25.9%	51.9%	60.0%	
		一般	利用数	7	8	7	11	19	10	11	9	8	6	7	13	
			稼働率	24.1%	26.7%	24.1%	36.7%	63.3%	34.5%	36.7%	31.0%	29.6%	22.2%	25.9%	43.3%	
		公用	利用数	0	2	0	0	0	2	2	6	0	1	7	5	
			稼働率	0.0%	6.7%	0.0%	0.0%	0.0%	6.9%	6.7%	20.7%	0.0%	3.7%	25.9%	16.7%	
	夜間①	計	利用数	4	5	5	11	7	11	11	14	9	7	14	11	
			稼働率	13.8%	16.7%	17.2%	36.7%	23.3%	37.9%	36.7%	48.3%	33.3%	25.9%	51.9%	36.7%	
		一般	利用数	2	3	5	11	6	9	9	9	9	6	9	7	
			稼働率	6.9%	10.0%	17.2%	36.7%	20.0%	31.0%	30.0%	31.0%	33.3%	22.2%	33.3%	23.3%	
		公用	利用数	2	2	0	0	1	2	2	5	0	1	5	4	
			稼働率	6.9%	6.7%	0.0%	0.0%	3.3%	6.9%	6.7%	17.2%	0.0%	3.7%	18.5%	13.3%	
夜間②	計	利用数	6	6	11	11	14	11	10	11	14	6	9	12		
		稼働率	20.7%	20.0%	37.9%	36.7%	46.7%	37.9%	33.3%	37.9%	51.9%	22.2%	33.3%	40.0%		
	一般	利用数	6	4	11	11	10	11	10	8	14	6	9	12		
		稼働率	20.7%	13.3%	37.9%	36.7%	33.3%	37.9%	33.3%	27.6%	51.9%	22.2%	33.3%	40.0%		
	公用	利用数	0	2	0	0	4	0	0	3	0	0	0	1		
		稼働率	0.0%	6.7%	0.0%	0.0%	13.3%	0.0%	0.0%	10.3%	0.0%	0.0%	0.0%	0.0%		
多目的 室	午前	計	利用数	21	28	25	26	22	22	27	25	26	22	24	27	
			稼働率	72.4%	93.3%	86.2%	86.7%	73.3%	75.9%	90.0%	86.2%	96.3%	81.5%	88.9%	90.0%	
		一般	利用数	18	24	19	23	16	19	20	18	22	19	18	21	
			稼働率	62.1%	80.0%	65.5%	76.7%	53.3%	65.5%	66.7%	62.1%	81.5%	70.4%	66.7%	70.0%	
		公用	利用数	3	4	6	3	6	3	7	7	4	3	6	5	
			稼働率	10.3%	13.3%	20.7%	10.0%	20.0%	10.3%	23.3%	24.1%	14.8%	11.1%	22.2%	20.0%	
	午後①	計	利用数	17	19	22	18	19	22	24	26	22	18	23	24	
			稼働率	58.6%	63.3%	75.9%	60.0%	63.3%	75.9%	80.0%	89.7%	81.5%	66.7%	85.2%	80.0%	
		一般	利用数	15	15	19	16	18	20	19	17	17	14	18	22	
			稼働率	51.7%	50.0%	65.5%	53.3%	60.0%	69.0%	63.3%	58.6%	63.0%	51.9%	66.7%	73.3%	
		公用	利用数	2	4	3	2	1	2	5	9	5	4	5	2	
			稼働率	6.9%	13.3%	10.3%	6.7%	3.3%	6.9%	16.7%	31.0%	18.5%	14.8%	18.5%	6.7%	
	午後②	計	利用数	14	14	17	19	16	16	21	21	18	11	12	16	
			稼働率	48.3%	46.7%	58.6%	63.3%	53.3%	55.2%	70.0%	72.4%	66.7%	40.7%	44.4%	53.3%	
		一般	利用数	12	10	14	17	15	14	17	15	15	8	9	15	
			稼働率	41.4%	33.3%	48.3%	56.7%	50.0%	48.3%	56.7%	51.7%	55.6%	29.6%	33.3%	50.0%	
		公用	利用数	2	4	3	2	1	2	4	6	3	3	3	1	
			稼働率	6.9%	13.3%	10.3%	6.7%	3.3%	6.9%	13.3%	20.7%	11.1%	11.1%	11.1%	3.3%	
	夜間①	計	利用数	11	13	12	17	15	17	17	18	17	9	13	16	
			稼働率	37.9%	43.3%	41.4%	56.7%	50.0%	58.6%	56.7%	62.1%	63.0%	33.3%	48.1%	53.3%	
		一般	利用数	11	11	11	17	15	17	14	13	16	8	11	15	
			稼働率	37.9%	36.7%	37.9%	56.7%	50.0%	58.6%	46.7%	44.8%	59.3%	29.6%	40.7%	50.0%	
		公用	利用数	0	2	1	0	0	0	3	5	1	1	2	1	
			稼働率	0.0%	6.7%	3.4%	0.0%	0.0%	0.0%	10.0%	17.2%	3.7%	7.4%	3.3%	4.6%	
夜間②	計	利用数	23	25	24	26	22	23	24	23	20	20	19	23		
		稼働率	79.3%	83.3%	82.8%	86.7%	73.3%	79.3%	80.0%	79.3%	74.1%	74.1%	70.4%	76.7%		
	一般	利用数	23	23	24	26	22	23	22	18	18	19	17	22		
		稼働率	79.3%	76.7%	82.8%	86.7%	73.3%	79.3%	73.3%	62.1%	66.7%	70.4%	63.0%	73.3%		
	公用	利用数	0	2	0	0	0	0	2	5	2	1	2	1		
		稼働率	0.0%	6.7%	0.0%	0.0%	0.0%	0.0%	6.7%	17.2%	7.4%	3.7%	7.4%	3.3%		



# 令和6年度 貸館利用実績詳細報告

豊明市共生交流プラザ

指定管理者：株式会社トヨタエンタプライズ

## 1. 貸館稼働率実績詳細⑤

＝ 年間稼働率平均の値を上回った場所／時間区分を網掛けで表示

項目	区分			4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均
研修室	午前	計	利用数	21	20	21	20	18	17	20	21	22	20	23	23	21
			稼働率	72.4%	66.7%	72.4%	66.7%	60.0%	58.6%	66.7%	72.4%	81.5%	74.1%	85.2%	76.7%	70.9%
		一般	利用数	11	6	8	8	9	6	5	6	12	8	9	13	8
			稼働率	37.9%	20.0%	27.6%	26.7%	30.0%	20.7%	16.7%	20.7%	44.4%	29.6%	33.3%	43.3%	29.1%
		公用	利用数	10	14	13	12	9	11	15	15	10	12	14	10	12
			稼働率	34.5%	46.7%	44.8%	40.0%	30.0%	37.9%	50.0%	51.7%	37.0%	44.4%	51.9%	33.3%	41.8%
	午後①	計	利用数	16	12	15	14	17	15	16	19	15	15	23	21	17
			稼働率	55.2%	40.0%	51.7%	46.7%	56.7%	51.7%	53.3%	65.5%	55.6%	55.6%	85.2%	70.0%	57.1%
		一般	利用数	9	6	9	6	8	6	6	6	8	5	10	12	8
			稼働率	31.0%	20.0%	31.0%	20.0%	26.7%	20.7%	20.0%	20.7%	29.6%	18.5%	37.0%	40.0%	26.2%
		公用	利用数	7	6	6	8	9	9	10	13	7	10	13	9	9
			稼働率	24.1%	20.0%	20.7%	26.7%	30.0%	31.0%	33.3%	44.8%	25.9%	37.0%	48.1%	30.0%	30.8%
	午後②	計	利用数	11	11	11	11	14	13	11	14	12	9	16	14	12
			稼働率	37.9%	36.7%	37.9%	36.7%	46.7%	44.8%	36.7%	48.3%	44.4%	33.3%	59.3%	46.7%	42.4%
		一般	利用数	6	7	8	6	6	7	5	5	8	4	9	9	7
			稼働率	20.7%	23.3%	27.6%	20.0%	20.0%	24.1%	16.7%	17.2%	29.6%	14.8%	33.3%	30.0%	23.1%
		公用	利用数	5	4	3	5	8	6	6	9	4	5	7	5	6
			稼働率	17.2%	13.3%	10.3%	16.7%	26.7%	20.7%	20.0%	31.0%	14.8%	18.5%	25.9%	16.7%	19.3%
	夜間①	計	利用数	1	4	10	10	13	15	15	13	13	10	10	16	11
			稼働率	3.4%	13.3%	34.5%	33.3%	43.3%	51.7%	50.0%	44.8%	48.1%	37.0%	53.3%	37.5%	37.5%
		一般	利用数	1	3	4	0	4	5	2	2	6	2	2	8	3
			稼働率	3.4%	10.0%	13.8%	0.0%	13.3%	17.2%	6.7%	6.9%	22.2%	7.4%	7.4%	26.7%	11.2%
		公用	利用数	0	1	6	10	9	10	13	11	7	8	8	8	8
			稼働率	0.0%	3.3%	20.7%	33.3%	30.0%	34.5%	43.3%	37.9%	25.9%	29.6%	29.6%	26.7%	26.2%
夜間②	計	利用数	1	2	7	10	13	9	13	13	11	9	9	12	9	
		稼働率	3.4%	6.7%	24.1%	33.3%	43.3%	31.0%	43.3%	44.8%	40.7%	33.3%	33.3%	40.0%	31.4%	
	一般	利用数	1	1	1	0	5	3	1	2	4	1	1	4	2	
		稼働率	3.4%	3.3%	2.0%	0.0%	16.7%	10.3%	3.3%	6.9%	14.8%	3.7%	3.7%	13.3%	6.9%	
	公用	利用数	0	1	6	10	8	6	12	11	7	8	8	8	7	
		稼働率	0.0%	3.3%	20.7%	33.3%	26.7%	20.7%	40.0%	37.9%	25.9%	29.6%	29.6%	26.7%	24.5%	
体育館半面（舞台側）	午前	計	利用数	18	15	24	14	28	13	13	17	13	14	21	29	18
			稼働率	62.1%	50.0%	82.8%	46.7%	93.3%	44.8%	43.3%	58.6%	48.1%	51.9%	77.8%	96.7%	63.1%
		一般	利用数	16	9	4	13	28	13	6	13	12	13	19	27	14
			稼働率	55.2%	30.0%	13.8%	43.3%	93.3%	44.8%	20.0%	44.8%	44.4%	48.1%	70.4%	6.0%	49.9%
		公用	利用数	2	6	20	1	0	0	7	4	1	1	2	2	4
			稼働率	6.9%	20.0%	69.0%	3.3%	0.0%	0.0%	23.3%	13.8%	3.7%	3.7%	7.4%	6.7%	13.3%
	午後①	計	利用数	17	16	26	14	26	16	15	22	14	19	19	26	19
			稼働率	58.6%	53.3%	89.7%	46.7%	86.7%	55.2%	50.0%	75.9%	51.9%	70.4%	70.4%	86.7%	66.3%
		一般	利用数	14	10	5	11	25	14	11	17	13	17	17	23	15
			稼働率	48.3%	33.3%	17.2%	36.7%	83.3%	48.3%	36.7%	58.6%	48.1%	63.0%	63.0%	76.7%	51.0%
		公用	利用数	3	6	21	3	1	2	4	5	1	2	2	3	4
			稼働率	10.3%	20.0%	72.4%	10.0%	3.3%	6.9%	13.3%	17.2%	3.7%	7.4%	7.4%	10.0%	15.3%
	午後②	計	利用数	19	14	26	20	23	16	20	21	19	17	23	29	21
			稼働率	65.5%	46.7%	89.7%	66.7%	76.7%	55.2%	66.7%	72.4%	70.4%	63.0%	85.2%	96.7%	71.2%
		一般	利用数	14	8	5	12	22	14	16	16	18	15	22	27	16
			稼働率	48.3%	26.7%	17.2%	40.0%	73.3%	48.3%	53.3%	55.2%	66.7%	55.6%	81.5%	90.0%	54.5%
		公用	利用数	5	6	21	8	1	2	4	5	1	2	1	2	5
			稼働率	17.2%	20.0%	72.4%	26.7%	3.3%	6.9%	13.3%	17.2%	3.7%	7.4%	3.7%	6.7%	16.7%
	夜間①	計	利用数	25	26	28	22	27	16	23	26	23	18	26	30	24
			稼働率	86.2%	86.7%	96.6%	73.3%	90.0%	55.2%	76.7%	89.7%	85.2%	66.7%	96.3%	100.0%	83.6%
		一般	利用数	24	21	10	20	27	16	19	23	23	18	26	28	21
			稼働率	82.8%	70.0%	34.5%	66.7%	90.0%	55.2%	63.3%	79.3%	85.2%	66.7%	96.3%	93.3%	73.5%
		公用	利用数	1	5	18	2	0	0	4	3	0	0	0	2	3
			稼働率	3.4%	16.7%	62.1%	6.7%	0.0%	0.0%	13.3%	10.3%	0.0%	0.0%	0.0%	6.7%	10.1%
夜間②	計	利用数	28	28	27	26	28	24	24	27	25	23	27	30	26	
		稼働率	96.6%	93.3%	93.1%	86.7%	93.3%	82.8%	80.0%	93.1%	92.6%	85.2%	100.0%	100.0%	91.4%	
	一般	利用数	28	23	23	24	28	24	20	24	25	23	27	28	25	
		稼働率	96.6%	76.7%	79.3%	80.0%	93.3%	82.8%	66.7%	82.8%	92.6%	85.2%	100.0%	93.3%	85.6%	
	公用	利用数	0	5	4	2	0	0	4	3	0	0	0	2	2	
		稼働率	0.0%	16.7%	13.8%	6.7%	0.0%	0.0%	13.3%	10.3%	0.0%	0.0%	0.0%	6.7%	5.8%	
体育館半面（倉庫側）	午前	計	利用数	23	17	23	15	28	9	16	18	17	19	18	28	19
			稼働率	79.3%	56.7%	79.3%	50.0%	93.3%	31.0%	53.3%	62.1%	63.0%	70.4%	66.7%	93.3%	66.6%
		一般	利用数	22	11	3	14	28	9	9	13	17	18	16	26	16
			稼働率	75.9%	36.7%	10.3%	46.7%	93.3%	31.0%	30.0%	44.8%	63.0%	66.7%	59.3%	86.7%	53.6%
		公用	利用数	1	6	20	1	0	0	7	5	0	1	2	2	4
			稼働率	3.4%	20.0%	69.0%	3.3%	0.0%	0.0%	23.3%	17.2%	0.0%	3.7%	7.4%	6.7%	13.0%
	午後①	計	利用数	19	16	26	16	28	16	15	21	19	20	21	27	20
			稼働率	65.5%	53.3%	89.7%	53.3%	93.3%	55.2%	50.0%	72.4%	70.4%	74.1%	77.8%	90.0%	70.3%
		一般	利用数	17	10	5	13	27	14	11	16	18	18	19	24	16
			稼働率	58.6%	33.3%	17.2%	43.3%	90.0%	48.3%	36.7%	55.2%	66.7%	66.7%	70.4%	80.0%	55.3%
		公用	利用数	2	6	21	3	1	2	4	5	1	2	2	3	4
			稼働率	6.9%	20.0%	72.4%	10.0%	3.3%	6.9%	13.3%	17.2%	3.7%	7.4%	7.4%	10.0%	15.0%
	午後②	計	利用数	21	15	26	11	22	17	16	20	17	14	22	29	19
			稼働率	72.4%	50.0%	89.7%	36.7%	73.3%	58.6%	53.3%	69.0%	63.0%	51.9%	81.5%	96.7%	66.3%
		一般	利用数	17	9	5	8	20	15	12	14	16	12	21	27	15
			稼働率	58.6%	30.0%	17.2%	26.7%	66.7%	51.7%	40.0%	48.3%	59.3%	44.4%	77.8%	90.0%	50.7%
		公用	利用数	4	6	21	3	2	2	4	6	1	2	1	2	5
			稼働率	13.8%	20.0%	72.4%	10.0%	6.7%	6.9%	13.3%	20.7%	3.7%	7.4%	3.7%	6.7%	15.6%
	夜間①	計	利用数	24	22	28	19	24	18	22	27	21	22	24	30	23
			稼働率	82.8%	73.3%	96.6%	63.3%	80.0%	62.1%	73.3%	93.1%	77.8%	81.5%	88.9%	100.0%	81.0%
		一般	利用数	24	18	8	17	24	18	18	23	21	22	24	28	20
			稼働率	82.8%	60.0%	27.6%	56.7%	80.0%	62.1%	60.0%	79.3%	77.8%	81.5%	88.9%	93.3%	70.6%
		公用	利用数	0	4	20	2	0	0	4	4	0	0	0	2	3
			稼働率	0.0%	13.3%	69.0%	6.7%	0.0%	0.0%	13.3%	13.8%	0.0%	0.0%	0.0%	6.7%	10.4%
夜間②	計	利用数	29	28	27	27	29	24	25	28	25	24	25	30	27	
		稼働率	100.0%	93.3%	93.1%	90.0%	96.7%	82.8%	83.3%	96.6%	92.6%	88.9%	92.6%	100.0%	92.5%	
	一般	利用数	29	24	25	25	29	24	21	25	25	24	25	28	25	
		稼働率	100.0%	80.0%	86.2%	83.3%	96.7%	82.8%	70.0%	86.2%	92.6%	88.9%	92.6%	93.3%	87.6%	
	公用	利用数	0	4	2	2	0	0	4	3	0	0	0	2	1	
		稼働率	0.0%	13.3%	6.9%	6.7%	0.0%	0.0%	13.3%	10.3%	0.0%	0.0%	0.0%	6.7%	4.9%	

老人福祉センター各居室稼働率(令和6年度)

[illegible]

# 令和6年度 児童館利用状況

## 1 児童館利用状況

児童館名	中央児童館						北部児童館						南部児童館						西部児童館								
	開館日数	幼	児	小学生	中学生	その他	計	開館日数	幼	児	小学生	中学生	その他	計	開館日数	幼	児	小学生	中学生	その他	計	開館日数	幼	児	小学生	中学生	その他
4月	25	219	633	96	192	1,140		25	112	181	1	121	415		25	103	92	0	74	269		25	44	427	26	53	550
5月	27	316	463	70	262	1,111		24	110	93	2	92	297		24	105	57	0	92	254		24	41	227	10	34	312
6月	26	319	479	76	274	1,148		25	128	36	3	104	271		25	145	78	0	137	360		25	67	286	3	62	418
7月	26	381	753	88	311	1,533		26	189	264	18	163	634		26	107	199	5	87	398		26	59	484	2	56	601
8月	27	381	741	112	318	1,552		26	139	293	0	128	560		26	20	188	5	13	226		26	5	420	3	4	432
9月	25	370	548	95	326	1,339		23	133	69	2	108	312		23	117	37	16	102	272		23	67	223	8	65	363
10月	27	284	488	59	170	1,001		26	168	52	1	131	352		26	163	43	7	123	336		26	84	316	0	82	482
11月	26	290	436	56	250	1,032		24	109	41	5	91	246		24	169	39	0	141	349		24	76	206	0	75	357
12月	24	311	506	50	208	1,075		24	200	109	16	145	470		24	132	65	0	100	297		24	47	231	3	44	325
1月	24	242	417	53	194	906		23	175	65	12	124	376		23	116	34	0	87	237		23	46	147	7	42	242
2月	22	295	360	55	235	945		23	174	88	1	121	384		22	129	66	0	94	289		22	78	178	0	64	320
3月	26	267	360	59	235	921		25	153	125	11	105	394		25	86	105	0	60	251		25	61	248	0	56	365
合計	305	3,675	6,184	869	2,975	13,703		294	1,790	1,416	72	1,433	4,711		293	1,392	1,003	33	1,110	3,538		293	675	3,393	62	637	4,767

児童館名	ひまわり児童館						コスモス児童館						大宮児童館						合 計								
	開館日数	幼	児	小学生	中学生	その他	計	開館日数	幼	児	小学生	中学生	その他	計	開館日数	幼	児	小学生	中学生	その他	計	開館日数	幼	児	小学生	中学生	その他
4月	25	245	490	113	217	1,065		25	53	232	12	56	353		25	89	197	19	72	377		175	865	2,252	267	785	4,169
5月	24	252	369	33	217	871		24	76	157	3	69	305		24	114	98	8	83	303		171	1,014	1,464	126	849	3,453
6月	25	222	285	37	169	713		25	105	139	2	88	334		25	137	140	6	113	396		176	1,123	1,443	127	947	3,640
7月	26	246	555	63	195	1,059		26	68	369	26	53	516		26	96	280	12	86	474		182	1,146	2,904	214	951	5,215
8月	26	153	536	78	116	883		26	22	382	20	22	446		26	35	163	7	35	240		183	755	2,723	225	636	4,339
9月	23	151	321	25	118	615		23	71	154	4	60	289		23	110	103	6	99	318		163	1,019	1,455	156	878	3,508
10月	26	199	290	29	146	664		26	97	112	0	86	295		26	164	126	15	137	442		183	1,159	1,427	111	875	3,572
11月	24	132	213	20	94	459		24	88	105	2	78	273		24	137	93	5	118	353		170	1,001	1,133	88	847	3,069
12月	24	108	405	32	79	624		24	66	192	6	62	326		24	103	137	9	90	339		168	967	1,645	116	728	3,456
1月	23	135	209	19	89	452		23	94	95	0	90	279		23	157	80	14	139	390		162	965	1,047	105	765	2,882
2月	22	124	218	17	96	455		22	118	104	0	112	334		22	138	74	9	125	346		155	1,056	1,088	82	847	3,073
3月	25	247	477	29	183	936		25	93	262	0	84	439		25	129	142	9	101	381		176	1,036	1,719	108	824	3,687
合 計	293	2,214	4,368	495	1,719	8,796		293	951	2,303	75	860	4,189		293	1,409	1,633	119	1,198	4,359		2,064	12,106	20,300	1,725	9,932	44,063

## 概 要

動使墓園事業は、都市計画墓園として良好な環境を保つための維持管理事業を行った。

昭和59年に2,057区画、平成6年度に486区画、平成11年度に488区画、平成23年度に826区画、合計3,857区画が完成し、墓所を必要とする市民要望に応えるべく、随時、使用申込を受付ている。

所在地 豊明市谷掛町皿池上18番地227、18番地623

面 積 53,279.48㎡(行政財産:51,812.68㎡普通財産:1,466.80㎡)

## 永代使用料収入状況

年度 \ 項目	調定額	収入済額	収入率
6	円 5,322,000	円 5,322,000	% 100.0

## 令和6年度許可状況

種別	永代使用料 (円)		区画数	金 額 (円)
2㎡	市内	345,000	2	690,000
	市外	414,000	2	828,000
3㎡	市内	497,000	1	497,000
	市外	596,000	2	1,192,000
4㎡	市内	661,000	2	1,322,000
	市外	793,000	1	793,000
計	—		10	5,322,000

## 令和6年度使用状況

種類	区画数	令和5年度末	令和6年度許可	令和6年度返還	残数
2㎡	1,520	1,100	4	17	433
3㎡	951	835	3	10	123
4㎡	1,386	1,215	3	8	176
計	3,857	3,150	10	35	732

※令和6年度末の使用区画数は3,857-732=3,125で稼働率81%となります。



福祉体育館各居室稼働率(令和6年度)

福祉体育館		4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月
アリーナ	午前	82.0%	83.3%	81.7%	84.6%	79.6%	90.0%	85.2%	87.5%	74.0%	85.4%	95.8%	88.5%
	午後	68.0%	72.2%	74.0%	73.1%	75.0%	77.0%	70.4%	68.3%	68.3%	67.7%	80.2%	77.9%
	夜間	99.0%	98.1%	94.2%	93.3%	94.4%	95.0%	99.1%	100.0%	90.4%	96.9%	94.8%	97.1%
柔道場	午前	64.0%	59.3%	61.5%	61.5%	44.4%	72.0%	74.1%	73.1%	57.7%	58.3%	70.8%	57.7%
	午後	68.0%	63.0%	84.6%	80.8%	44.4%	80.0%	88.9%	76.9%	80.8%	70.8%	75.0%	73.1%
	夜間	68.0%	70.4%	88.5%	61.5%	70.4%	76.0%	85.2%	76.9%	61.5%	70.8%	75.0%	84.6%
剣道場	午前	76.0%	70.4%	84.6%	80.8%	85.2%	84.0%	70.4%	76.9%	73.1%	79.2%	91.7%	88.5%
	午後	64.0%	51.9%	73.1%	53.8%	63.0%	68.0%	63.0%	73.1%	73.1%	70.8%	62.5%	57.7%
	夜間	72.0%	88.9%	80.8%	88.5%	81.5%	84.0%	92.6%	92.3%	84.6%	91.7%	83.3%	92.3%
会議室	午前	48.0%	37.0%	65.4%	65.4%	44.4%	44.0%	48.1%	69.2%	34.6%	45.8%	50.0%	53.8%
	午後	32.0%	25.9%	38.5%	44.0%	11.1%	20.0%	29.6%	38.5%	30.8%	33.3%	25.0%	30.8%
	夜間	60.0%	51.9%	69.2%	61.5%	55.6%	60.0%	66.7%	57.7%	61.5%	75.0%	66.7%	69.2%

福祉体育館スポーツ施設利用者数(令和6年度)

施設名	区分		4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	年間(人)
トレーニング(1回券利用)	市内		760	792	771	770	901	709	741	676	665	676	801	884	9,146
	市外		78	91	63	68	75	109	117	67	64	63	89	104	988
トレーニング(定期)	市内外		2,063	2,257	2,181	2,191	2,118	2,169	2,346	2,200	1,908	1,958	2,248	2,563	26,202
卓球場(中学生以下)	市内	午前	49	37	40	42	68	22	18	21	14	21	36	70	438
		午後	158	225	122	236	205	106	95	69	99	106	129	289	1,839
		夜間	110	119	127	97	97	48	98	48	71	97	64	136	1,112
	市外	午前	18	19	26	7	17	16	10	12	9	15	5	25	179
		午後	29	36	31	16	43	22	19	15	17	10	7	13	258
		夜間	9	15	6	5	3	4	4	1	0	2	4	8	61
卓球場(一般)	市内	午前	131	153	134	163	194	142	145	135	128	125	142	145	1,737
		午後	205	233	185	202	221	247	211	196	212	181	197	233	2,523
		夜間	205	183	174	161	232	210	184	188	181	181	179	225	2,303
	市外	午前	10	29	47	52	78	50	38	57	27	30	46	67	531
		午後	65	46	81	72	102	45	39	33	33	53	51	51	671
		夜間	81	70	47	103	95	83	46	85	35	32	51	71	799

体育施設施設利用件数及び利用者数(令和6年度)

施設名	区分	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	年度計
勅使グラウンド	件数	32	33	39	33	38	33	30	21	25	16	19	28	347
	人数	1,540	2,694	2,204	2,439	1,632	2,288	2,444	3,345	2,434	968	1,419	2,090	25,497
勅使グラウンド夜間照明	件数	16	12	13	8	8	13	9	9	11	8	6	8	121
山田グラウンド	件数	6	8	6	11	5	5	8	4	15	3	3	7	81
	人数	330	295	420	1,120	205	400	370	140	1,075	120	120	310	4,905
勅使テニスコート (個人利用)	件数	518	531	542	493	433	615	533	531	531	549	525	603	6,404
	人数	2,951	2,990	3,121	2,642	2,385	3,497	2,957	2,903	2,953	3,027	2,858	3,303	35,587
勅使テニスコート (専用利用)	件数	14	18	10	14	12	4	16	14	9	6	9	7	133
	人数	632	949	503	533	514	109	598	774	774	257	381	238	6,262
勅使テニス夜間照明	件数	99	66	73	68	72	116	107	87	93	83	92	108	1,064
弓道場 (個人利用・中学生以下)	人数	0	0	6	3	0	0	0	1	0	0	0	2	12
弓道場 (個人利用・一般)	人数	251	282	255	229	217	239	249	338	242	282	319	311	3,214
弓道場 (専用利用)	件数	4	3	6	2	0	3	5	4	6	1	1	1	36
	人数	126	37	76	25	0	112	57	43	152	20	10	20	678
勅使ターゲット ・バードゴルフ場	人数	297	304	320	176	74	152	242	269	262	245	236	229	2,806
勅使ターゲット ・バードゴルフ場(専用利用)	件数	0	0	0	0	0	0	1	0	0	0	0	0	1
	人数	0	0	0	0	0	0	14	0	0	0	0	0	14

# 令和6年度 豊明文化広場利用状況

○ 豊明文化広場利用状況

施 設 名	月	4 月	5 月	6 月	7 月	8 月	9 月	10 月	11 月	12 月	1 月	2 月	3 月	合 計
和室A	利用人数	57	78	66	117	29	9	52	94	174	86	20	61	843
	利用件数	6	8	8	11	6	1	5	6	12	10	3	7	83
	利用日数	5	7	8	7	3	1	4	5	8	8	3	5	64
	営業日数	30	31	30	31	31	30	31	30	28	28	28	31	359
	利用可能枠	90	93	90	93	93	90	93	90	84	84	84	93	1,077
	稼働率	7%	9%	9%	12%	6%	1%	5%	7%	14%	12%	4%	8%	8%
和室B	利用人数	48	47	31	38	27	39	40	55	38	56	123	61	603
	利用件数	11	10	7	8	6	10	9	12	8	10	15	14	120
	利用日数	11	9	7	7	6	9	7	11	6	8	12	10	103
	営業日数	30	31	30	31	31	30	31	30	28	28	28	31	359
	利用可能枠	90	93	90	93	93	90	93	90	84	84	84	93	1,077
	稼働率	12%	11%	8%	9%	6%	11%	10%	13%	10%	12%	18%	15%	11%